

INNOVATIONS = SOLUTIONS

We convert ideas into product solutions.

"World's Greatest Cooler Floor"®







CFB

Years of Proven Success NATIONAL COVERAGE

Coolers, Freezers in...Restaurants, Casinos, Resorts, Supermarkets, Hotels, Hospitals and Veterinary Clinics

A COOLER-FREEZER SOLUTION THAT WORKS!

- New surface pattern pushes the coefficient of friction to .92 which exceeds all competitors and gives a new meaning to slip resistant.
- Resistant over 100 harsh chemical and floods including muriatic acid, oleic acid, phosphoric acids.
- Ten year warranty on cooler-freezer new floors, concrete or 5/8" inside surface OSB. Compare any cooler manufacture warranty on this floor!
- Impact/puncture resistant.
- Most cost-effective floor over 10 years.
- Prevents mold and bacterial growth.
- Can stand up to wet environment, power washing, 24/7, waterproof and easy to clean.
- Eliminate leaks through floor below or other areas.
- Increased energy efficiency, durability and reliability to the unit thus increasing cost effectiveness.
- Non-corrosive.







First Choice Safety Flooring[™] is the first flooring of its kind...made from thermoplastic and elastomeric products designed to be dimensionally stable which eliminates seam splits or failures due to expansion and contraction of the material.


We're committed to the our industry today and for years to come. We must do everything possible to meet this demand. THAT'S OUR JOB. Our public commitment is to produce the BEST SERVICE, BEST INSTALLATION, and BEST WARRANTY




Contact us for additional information

First Choice Safety Flooring[™] 873 Perry Road, Apex, NC 27502

(919) 852-5279 CORPORATE OFFICE 877-852-5279 TOLL FREE www.safefloor.com





RETRO FLOORTM PANEL SPEC SHEET

Standard Replacement Floor Panel

- Outside bottom surface 24 GA Galvanized
- Inside surface 5/8" OSB
- R32 Urethane foam core in compliance with Federal standards
- Uniform distributed load of 1000 lbs. per square foot
- 4'0 x 8'0 x 4" (thick)

Reinforced Replacement Floor Panel

- Outside bottom surface 24 GA Galvanized
- Inside surface 5/8" OSB
- R32 Urethane foam core in compliance with Federal standards
- Structural reinforcement inside
- Uniform distributed load of 5,000 lbs. per square foot
- 4'0 x 8'0 x 4" (thick)








Renovated and Ready for New RetroFloor™ Panel

New RetroFloor™ Panels







New Installation Complete











COOLER FLOOR REPLACEMENT... FROM START TO FINISH!

















































































Interior Ramp Cooler/Freezer Detail





Certificate No .: _

Date of Installation:

Upon payment in full for services rendered by B&H Commercial Services, Inc., (hereafter "B&H Commercial Services") B&H Commercial Services provides the following warranty on NEW COOLER & FREEZER INSTALLATIONS providing that all terms and conditions set forth are complied with:

WARRANTY PERIOD AND SCOPE: B&H Commercial Services warrants the installation of Safety Flooring against seam failure, improperly sealed drains or base material allowing water penetration, separation of flooring from substrate due to improper adhesive application, installation of defective materials, improper installation of stainless steel accessories or base trim, and damage or failure of the flooring system caused by an employee or agent of B&H Commercial Services, Inc. for a period of ten (10) years from date of installation.

EXCLUSIONS: This warranty does not cover damages resulting from negligence, intentional misconduct or other destructive behavior on the part of the facility owner or its employees, agents, vendors or invites including but not limited to; cutting with sharp objects, damage from other trades, dropping hot grills, skillets or similar objects onto the floor surface, drain tampering, repairs and or renovations made to facility following flooring installation completion that alter, penetrate or damage the flooring installation, improper use, electrical or plumbing repairs made after flooring installation, improperly cured or prepared sub-floors, building damage caused by fire, flood, or other acts of God, or any repairs made to the floor system during the warranty period that are conducted by personnel not specifically authorized by B&H Commercial Services to make such repairs.

REMEDIES: In the event a warranted failure or problem to a B&H Cou during the warranty period specified herein, B&H Commercial Services s to the floor system.

THE REMEDIES STATED HEREIN ARE THE SOLE AND EXCLI OF THE B&H COMMERCIAL SERVICES FLOORING SYSTEM. I LIABILITY FOR CONSEQUENTIAL, INCIDENTAL OR OTHER I NOT LIMITED TO LOST PROFITS AND/OR DAMAGE TO BUIL WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A TIME TO THE DURATION OF THIS EXPRESS WARRANTY, SOM LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES IMPLIED WARRANTIES, SO THE ABOVE LIMITATIONS OR EXC

Date

Company Name

Name and Address of Building



Upon payment in full for services rendered by B&H Commercial Services, Inc., (hereafter "B&H Commercial Services") B&H Commercial Services provides the following warranty on RETROFIT COMMERCIAL COOLER & FREEZER INSTALLATIONS providing that all terms and conditions set forth are complied with:

WARRANTY PERIOD AND SCOPE: B&H Commercial Services warrants the installation of Safety Flooring against seam failure, improperly sealed drains or base material allowing water penetration, separation of flooring from substrate due to improper adhesive application, installation of defective materials, improper installation of stainless steel accessories or base trim, and damage or failure of the flooring system caused by an employee or agent of B&H Commercial Services, Inc. for a period of three (3) years from date of installation.

EXCLUSIONS: This warranty does not cover damages resulting from negligence, intentional misconduct or other destructive behavior on the part of the facility owner or its employees, agents, vendors or invites including but not limited to; cutting with sharp objects, damage from other trades, dropping hot grills, skillets or similar objects onto the floor surface, drain tampering, repairs and or renovations made to facility following flooring installation completion that alter, penetrate or damage the flooring installation, improper use, electrical or plumbing repairs made after flooring installation, improperly cured or prepared sub-floors, building damage caused by fire, flood, or other acts of God, or any repairs made to the floor system during the warranty period that are conducted by personnel not specifically authorized by B&H Commercial Services to make such repairs.

REMEDIES: In the event a warranted failure or problem to a B&H Commercial Services floor system becomes apparent during the warranty period specified herein, B&H Commercial Services shall at its own expense make the necessary repairs to the floor system.

THE REMEDIES STATED HEREIN ARE THE SOLE AND EXCLUSIVE REMEDIES FOR ALLEGED FAILURE OF THE B&H COMMERCIAL SERVICES FLOORING SYSTEM. B&H COMMERCIAL SERVICES DISCLAIMS LIABILITY FOR CONSEQUENTIAL, INCIDENTAL OR OTHER DAMAGES OF ANY KIND, INCLUDING BUT NOT LIMITED TO LOST PROFITS AND/OR DAMAGE TO BUILDING AND/OR CONTENTS. ANY IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE LIMITED IN TIME TO THE DURATION OF THIS EXPRESS WARRANTY. SOME STATES DO NOT ALLOW EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES OR LIMITATION OF THE DURATION OF THE IMPLIED WARRANTIES, SO THE ABOVE LIMITATIONS OR EXCLUSIONS MAY NOT APPLY TO YOU.

B&H Authorized Representative

Company Name

Date

Company Address

Name and Address of Building

City, State, Zip



Certified Installers with Nationwide Coverage

NEW COOLERS/FREEZERS

10 Year Warranty

RETROFIT COOLERS/FREEZERS

3 Year Warranty

CORPORATE OFFICE

873 Perry Road • Apex, NC 27502 • Office: (919) 852-5279 • Fax: (919) 367-8408 TOLL FREE **(877) 852-5279**

www.safefloor.com